

CLAYTON SPRAYER CATALOGUE



BACKPACK SPRAYERS



BATTERY SPRAYERS



HAND SPRAYERS



12V SPOT SPRAYERS



MANUAL SPRAYERS



TOW BEHIND SPRAYERS









always with you

The world's No.1 Sprayer since 1948







A sprayer for every application



- **2** Hand Sprayers 403 & 404
- 4 Manual Pressure Sprayers 408 & 409
- 8 Trollley Sprayer 453
- **14** Battery Sprayer 406Li & 414Li
- **15** Battery Sprayer 260Li
- 20-23 Accessories





- 2 Hand Sprayers 201 & 202
- 5 Hand Sprayers 211 & 212
- 6 Manual Pressure Sprayers 461 & 462
- 10 Backpack Sprayer 424 & 410
- 11 Backpack Sprayer 425LC & 425D
- 15 Battery Sprayer Eazy 206
- 6 Battery Backpack Sprayer 441Li & 411Li
- 17 Battery Backpack Sprayer 417Li & 417Li-s





- **3** Hand Sprayers 401 & 402
- 7 Manual Pressure Sprayers 256, 257 & 258
- **9** Trollley Sprayer 258T
- **2-13** Backpack Sprayers 473D, 425 & 475
- **18** Battery Backpack Sprayer 442Li
- 9 Granulate Spreader 421
- 20 High Pressure Backpack Power Sprayer 433
- Mist Blower 452





- 24 CleanLine Backpack Sprayer 315A
- 25 CleanLine Manual Pressure Sprayers 301A, 302A, 305A & 307A
- **26** CleanLine Manual Pressure Sprayers 301B, 302B, 305B & 307B
- 27 CleanLine Manual Foam Sprayers 301FA & 301FB



- 28 NorthStar 12 Volt Spot Sprayers
- 29 NorthStar Elite 12 Volt Spot Sprayers
- 30-31 NorthStar Tow Behind Sprayers
 - 32 NorthStar 12 Volt Diaphragm Pumps
 - 33 NorthStar Accessories

For troubleshooting and how-to tips!

Visit our help centre on the solo website



Looking for spare parts for your Solo sprayers?

Try our easy to use "Find my spare part" tool on our website





www.solosprayers.com.au





403, 404, 201 & 202 - Hand Sprayers

Small, light and handy (yet robust and versatile!), SOLO's 403, 404, 201 and 202 are quality, compact manual pressure sprayers.


KEY BENEFITS

- Adjustable nozzle
- Pump handle
- Pressure relief valve protects against excess pressure build-up
- Large filling bottle opening fill cleanly, drain residue easily
- Ergonomic handle can be gripped with gloves
- (6) Transparent tank with fill volume scale - 1.25 L (403 & 201) or 2.0 L (404 & 202)
- Stable base
- Lockable trigger

Sample applications:

Plant protection

- For plants on balconies and patios
- In backyard gardens
- For decorative plants and shrubs






Hand sprayers perfect

for general home use



MODEL	403	404	201	202
Capacity L	1.25	2	1.25	2
Max. spray pressure bar	2	2	3	3
Dry weight kg	0.5	0.6	0.45	0.5



KEY BENEFITS

- High-quality adjustable nozzle transition from direct jet to fine mist
- Pivoting nozzle a standard feature that makes for easy spraying (even underneath leaves!)
- Robust pump handle
- Lockable trigger
- Ergonomic handle
- Large filling bottle opening
- Moulded feet for firm footing
- Capacity 1 L (401) or 2 L (402)
- Viton seals for outstanding resistance to harsh chemicals
- Automatic safety valve

Sample applications:

Plant protection


- For plants on balconies and patios
- Weed control
- Gardening fertilizing
- Equine & livestock

Cleaning

- Automotive
- Janitorial disinfection
- Household cleaners
- Pest control



MODEL	401	402	
Capacity L	1.0	2.0	
Max. spray pressure bar	2	2	
Dry weight kg	0.4	0.5	-
Seals	Viton	Viton	SA.



KEY BENEFITS

- High-quality adjustable nozzle transition from direct jet to fine mist
- 40 cm plastic wand can be secured at pump handle for transport and
- Lockable pump handle for easy carrying
- Repairable hand-piece
- Pressure relief valve
- Transparent tank 5 L (408) or 7 L (409) capacity
- Stable base
- 1.2 m hose for easy reach
- Wide funnel-shaped neck for easy filling
- Carrying strap

Broad range of SOLO sprayer accessories available (see page 22)

Sample applications:

- For plants on balconies and patios
- General purpose spraying
- Backyard gardens
- For decorative plants and shrubs
- Weed control



MODEL	408	409	
Capacity L (nominal volume)	5.0	7.0	
Max. spray pressure bar	2.0	2.0	
Dry weight kg	1.2	1.4	
Pump handle / wand can be secured	Plastic		
Spray wand	Plastic, 40	cm	
Nozzle	Adjustable n	ozzle	



Quality semi-professional sprayers designed for the harsh Australian environment. The large tank capacities of SOLO's 211 and 212 (5 L and 7 L respectively), as well as their quality fittings, render yard maintenance so easy.

KEY BENEFITS

- High-quality adjustable nozzle transition from direct jet to fine mist
- 50 cm plastic wand can be secured at pump handle for transport and storage
- Lockable pump handle for easy carrying
- Repairable hand-piece
- (5) Pressure relief valve
- Transparent tank 5 L (211) or 7 L (212) capacity
- (7) Stable base
- 1.2 m hose for easy reach
- Wide funnel-shaped neck for easy filling
- (10) Carrying strap

Broad range of SOLO sprayer accessories available (see page 22)

Sample applications:

Plant protection

- For plants on balconies and patios
- General purpose spraying
- Backyard gardens
- For decorative plants and shrubs
- Weed control



Lightweight

Capacity L (nominal volume) 5.0 7.0
Max. spray pressure bar 3.0 3.0
Dry weight kg 1.2 1.5
Pump handle / wand can be secured Reinforced plastic / yes
Spray wand Plastic, 50 cm
Nozzle Adjustable nozzle



Delivering beyond pectations

Work uninterrupted for longer stretches: SOLO's 461 and 462 pressure sprayers will do the job for any landscaper or gardener. Robust and hard-wearing, these units are available in two capacities, 5 L (461) and 7 L (462).

KEY BENEFITS

- Two nozzles supplied as standard flat fan and hollow cone
- Large tank opening for easy filling and additional opening for simple cleaning
- Handy storage compartment (3) holds spray wand
- 4 Unbreakable 50cm spray wand
- Pressure relief valve
- Lockable pump handle
- UV-resistant transparent tank
- Solo Patented hand-piece repairable
- Carrying strap
- Stable base



Sample applications:

- Landscape gardens
- Backyard gardens
- For decorative plants and shrubs
- Weed control

MODEL	461	462	
Capacity L (nominal volume)	5.0	7.0	
Max. spray pressure bar	3.0	3.0	
Dry weight kg	1.5	1.7	
Hose length m	1.4	1.4	
Spray wand	Plastic, 50	cm	
Nozzle	Flat fan and hol	low cone	
Seals	Viton	Viton	



Premium and quality: Pressure

sprayers that serve as the 'right tool' for professionals. Available in 5 L, 7 L and 11 L capacities, units are characterised by their robustness, practically-indestructible tanks, and long service lives.

KEY BENEFITS

- Two nozzles supplied as standard flat fan and hollow cone
- Vertical wand storage
- Lockable pump handle
- Pressure relief valve
- 25% less pump strokes to achieve maximum pressure.
- Unbreakable 50cm spray wand
- Carrying strap
- Solo Patented hand-piece repairable
- UV-resistant transparent tank


Sample applications:

Plant protection

- In larger private gardens
- For decorative plants, shrubs and plantations
- Weed control

Cleaning

- Pest control
- Trade applications



MODEL	256	257	258	
Capacity L (nominal volume)	5.0	7.0	11.0	
Max. spray pressure bar	3.0	3.0	3.0	
Dry weight kg	2.0	2.2	2.9	
Hose length m	1.4	1.4	1.4	
Spray wand		Plastic, 50 cm		
Nozzle	SOLO flat jet and hollow cone nozzle			
Seals	Viton	Viton	Viton	

Made in

Germany



No need to lift the SOLO 453 trolley sprayer; its large wheels ensure the unit can be pulled along with ease. Gardening has never been so simple!

KEY BENEFITS


- High-quality adjustable nozzle transition from direct jet to fine mist
- 2.5 m spiral hose provides reach
- Repairable hand-piece
- Wide funnel-shaped neck for easy
- 5 Lockable pump handle
- Height-adjustable handle with soft-grip – aluminium keeps the unit weight down
- 40 cm plastic wand -
- can be secured at pump handle for transport and storage
- Pressure relief valve
- Wide funnel-shaped neck for easy filling
- 11 L, UV-resistant transparent tank
- Transport 150mm wheels with good grip

Sample applications:

- For plants on balconies and patios
- Backyard gardens
- For decorative plants and shrubs
- Weed control



	MODEL	453
	Capacity L (nominal volume)	1 L
	Max. spray pressure bar	2
	Dry weight kg	3.5
	Transport wheels	Yes
	Spray wand	Plastic, 40 cm
	Nozzle	Adjustable nozzle
	Seals	Viton



KEY BENEFITS

- Two nozzles supplied as standard flat fan and hollow cone
- Large tank opening for easy filling
- 25% less pump strokes to achieve maximum pressure.
- Unbreakable 50cm spray wand
- Ergonomically-shaped handle pressure gauge optional
- Heavy duty trolley for ease of use
- Chemical resistant Viton® seals in key locations withstand harsh chemicals for long service and durability
- UV-resistant transparent tank



Sample applications:

- Landscape gardens
- Backyard gardens
- For decorative plants and shrubs
- Weed control
- Agriculture crops
- Nurseries

	MODEL	258T
	Capacity L (nominal volume)	11.0 L
	Max. spray pressure bar	3.0
	Dry weight kg	3.0
	Hose length m	1.4
	Spray wand	Plastic, 50 cm
	Seals	Viton
	Nozzle	Flat fan and hollow cone



The uncomplicated design of the Backpack Sprayer SOLO Nova 424 (16 L) & 410 (10 L) presents a reliable, practical and comfortable product suitable for demanding trade and semi-professional use.

KEY BENEFITS

- 1 Plastic adjustable nozzle
- Ergonomic pump handle suitable for both left and right handed; reposition handle for easy storage
- Effective mixing system while pumping, liquid is constantly swirled and mixed
- Ergonomically-designed tank and base
- Height adjustable padded shoulder straps
- 6 Integrated carrying handle
- Internal piston pump system prevents leaks; centrally located for balanced operation
- 8 Large tank opening for easy filling
- 9 Stable base



Up to 5 Years Warranty

Even your dog

Sample applications:

Plant protection

- In larger private gardens
- For decorative plants, shrubs and plantations
- Weed control

Cleaning

- Pest control
- Trade applications

MODEL	424	410	
Capacity L (nominal volume)	16	10	
Max. spray pressure bar	4.0	4.0	
Dry weight kg	5.1	4.7	
Hose length m	1.3 m	1.3 m	
Spray wand	Plastic,	, 50 cm	
Pump type	Internal piston pump		
Equipment	Plastic adjustable nozzle		

425LC & 425D - 15L Backpack Sprayer 🥛

A quality 15 L sprayer designed to deliver all the amazing features and high spraying performance of a professional unit, but with a budget price.

KEY BENEFITS

- Two nozzles supplied as standard flat fan and hollow cone
- Interchangable pump handle for left (2)and right hand.
- (3) Unbreakable 50cm spray wand
- Wide, padded and adjustable straps
- Large tank openeing for easy filling
- Chemical resistant hose
- Solo patented hand-piece repairable
- Chemical resistant Viton® seals, withstand harsh chemicals for long service and durability.
- Solo patented tank High quality, 9 UV resistant, with visible fill level markings.
- Stable metal tank frame

rofessional features, budget price





Sample applications:

Plant protection

- In the farm
- Acreage
- Decorative plants
- Shrubs
- Weed control

Scan to watch our 425/425LC Comparison Video

MODEL	425LC	425D
Piston Pump	Yes	Yes
Tank capacity L	15	15
Max. spray pressure bar	6	6
Manual spray pressure adjustment	No	No
Folding Handle	No	No
Dry weight kg	4.5	4.5
Seals	Viton	Viton





of optimal performance.

Two nozzles supplied as standard flat fan and hollow cone

materials and cutting-edge technology mean these units will deliver nothing short

- Interchangable pump handle for left and right hand.
- Unbreakable 50cm spray wand
- Height adjustable padded shoulder
- Large tank openeing for easy filling
- Chemical resistant hose
- Solo Patented hand-piece repairable
- Carrying handle with spray wand (8) retainer (425 & 475 only)
- Solo patented tank High quality, UV resistant, with visible fill level markings.
- (10) Diaphragm Pump (473D & 475 Only)
- Stable metal tank frame





MODEL	473D	425	475	
Type Pump	Diaphragm	Piston	Diaphragm	
Tank capacity L	10	15	15	
Max. spray pressure bar	4	4/6 (with plug)	4	
Manual spray pressure adjustment		Yes	Yes	
Folding Handle			Yes	
Dry weight kg	4.3	4.5	4.7	
Seals	Viton	Viton	Viton	
Diaphragm Material	Tivilion		Tivilion	







beautiful garden

starts here



414Li & 406Li Battery Backpack Sprayer

The SOLO 414Li & 406Li home and garden sprayer are lightweight and require no pumping. An already easy operation has been enhanced by this unit's ingenious and expert design.

KEY BENEFITS

- Plastic adjustable nozzle
- UV-resistant tank
- A 10.8 V/2.5 Ah Li-ion battery facilitates approx. 3.5 hrs of spraying and 2.5 hrs of battery recharge time
- Large tank opening and lid with carrying handle
- (5) Solo patent hand piece - repairable

Sample applications:

- Home gardening, decorative plants, shrubs and plantations
- Weed control
- Pest control





L
3 V
А
Ah
nrs
nrs
/min
oar
kg
k



HOME & GARDEN Range

KEY BENEFITS

Eazy 206

- Plastic adjustable nozzle
- UV-resistant tank
- A 10.8 V/2.5 Ah Li-ion battery facilitates approx. 3.5 hrs of spraying and 2.5 hrs of battery recharge time
- Large tank opening and lid with carrying handle
- Solo patent hand piece repairable

260Li

- Adjustable nozzle
- USB recharge
- Easy to squeeze trigger
- 1 L bottle

Sample applications:

Plant protection

- Around the home
- Pest Control
- Weed Control



MODEL	Eazy 206	260Li
Total capacity L	6 L	1 L
Voltage Nominal	11.1 V	3.7 V
Battery capacity	2.5 Ah	1.4 Ah
Working time	3 hrs	1 hrs
Charging time	2 hrs	2 hrs
Flow	1.16 L/min	0.33 L/min
Pressure	2.5 bar	
Net Weight	2.2 kg	0.3 kg

2





3.5 hrs of spraying

2.5 hrs of charging

The results and the comfort you've been looking for

Robust and lightweight: the new 441Li & 411Li backpack sprayer serves as a semi professional model in SOLO's batteryoperated sprayer range.

441Li & 411Li Battery Backpack Sprayer

Perfect for the Contract Gardener, Acreage owner or hobby farmer. Can be used with liquid fertilizers, selective herbicides, herbicides, fungicides, and insecticides

KEY BENEFITS

- Two nozzles supplied as standard plastic adjustable and hollow cone
- An easily removable compact lithiumion battery provides 170 minutes of continuous operation
- Powerful and durable electric pump delivers 2.5 bar operating pressure
- Easy-to-operate splash-protected 4) switch – located at the top of the appliance
- A spring maintains closure of the battery compartment cover
- Ergonomically-designed tank and base
- Height adjustable padded shoulder
- Unbreakable 50 cm spray wand
- Chemical resistant hose
- Solo Patented hand-piece repairable



Sample applications:

- Large private gardens, decorative plants, shrubs and plantations
- Weed control
- Agriculture crops
- Public gardens, landscape, nurseries and greenhouses

MODEL	441Li	411Li
Total Nominal	16	10
Dry weight	3.7	3.6
Spray wand	Plastic, 50 cm	Plastic, 50 cm
Battery capacity	11.1V / 2.5 Ah	11.1V / 2.5 Ah
Working time	3 hrs	3 hrs
Charging time	2 hrs	2 hrs
Flow	0.16 - 1.6 Lpm	0.16 - 1.6 Lpm
Sound pressure level	≤ 70 dB	≤ 70 dB
Pressure	2.5 bar	2.5 bar



of omissions, whisper quiet, and designed with your comfort in mind.

KEY BENEFITS

- Two nozzles supplied as standard flat fan and hollow cone
- Unbreakable 50cm spray wand
- Solo Patented hand-piece repairable + pressure gauge
- (4) Large tank opening for easy filling
- Solo patented tank High quality, (5) UV resistant, with visible fill level markings.
- Comfortable padded backpack 6 frame, Wide, padded and adjustable straps
- Chemical resistant hose
- Two speed powerful 12V pump



- Plant nurseries
- Contract gardens & City Council
- Large private gardens, decorative plants, shrubs and plantations
- Public gardens and landscaping, greenhouses
- Weed control
- Horticultural plantations

MODEL	417Li	417Li-s
Rating	12 V / 7 Ah	12 V / 7 Ah
Nominal volume	18 L	10 L
Flat jet nozzle	Yes	Yes
Communication	Low 1.07 LPM at 2.5 Bar	Low 1.07 LPM at 2.5 Bar
Spray volume	High 1.42 LPM at 4.3 Bar	High 1.42 LPM at 4.3 Bar
Dry weight kg	7.8	7.5
Pottony on orating time	Low speed 3.7 hrs	Low speed 3.7 hrs
Battery operating time	High speed 2.3 hrs	High speed 2.3 hrs
Recharge time	8 hrs	8 hrs





442Li Battery Backpack Spraye

The new battery powered backpack sprayer SOLO 442Li for professional plant protection combines operating comfort with modern battery technology. Comprehensive features and adjustable pressure allow precise output and directional control of plant protection liquids and liquid fertilizers.

KEY BENEFITS

- Two nozzles supplied Flat Spray nozzle and Plastic Adjustable Nozzle
- 2 Electronic pressure regulation a digital micro control unit ensures constant pressure independent of the chosen nozzle. This enables precise control of the spray liquid. Can choose 1, 2, 3, or 4 bar pressure using an electronic operating panel.
- (3) Battery Charge indicator
- Professional carrying harness with ergonomically designed tank
- Large filling opening
- Solo patented repairable hand piece.
- Unbreakable 50cm Spray Wand.

Also available

- 18V, 5.0Ah battery (49482)
- Rapid charger 4A (49484) 35min for 2.0Ah, 90min for 5.0Ah,

Sample applications:

Plant protection


- Plant protection (woodland and crop plantations)
- Fruit and vine growing environments
- Disinfection
- Parasite control in animal herds, stables, storage areas, ships, and containers

Larger coverage with less effort



MODEL	442Li			
Battery	18V, 2.0Ah Li-ion			
Nominal volume (Fill volume)	16 L			
Nozzle	Flat spray nozzle, adjustable hollow cone nozzle			
Spray pressure	4 settings, 1 - 4 bar			
Output volume I/min at (bar), flat spray nozzle	0,68 (1) / 0,97 (2) / 1,19 (3) / 1,37 (4)			
Output volume I per battery charge at (bar), flat spray nozzle	112 (1); 114 (2); 92 (3); 84 (4)			
Output volume I per battery charge at (bar), adjustable hollow cone nozzle	138 (1) / 113 (2) / 102 (3) / 88 (4)			
Operation time hrs. max. at (bar), flat spray nozzle	5 (1); 2,8 (2); 1,8 (3); 1,2 (4)			
Operation time hrs. max. at (bar), adjustable hollow cone nozzle	4,2 (1); 3,5 (2); 2,3 (3); 1,9 (4)			
Charging time	ca. 1.1 h, standard charger 2 A			
Dry weight (w. battery)	4,1 kg (4,5 kg)			
Standard delivery Spray wand 50cm plastic, li-ion battery 18 V 2. Ah, charger 2 A				





Range

applied where specifically required, even on difficult terrain - for example, where a wheeled appliance would be unsuitable.

The spreader is carried in front of the body by means of an adjustable strap.

The large tank opening makes filling easy, whilst the large screw top protects users from harmful dust.

KEY BENEFITS

- Large tank opening and lid with carrying handle
- Adjustable shoulder straps
- Large 9L tank
- Robust integral agitator
- Spreader disc with large fins for even application
- Easy-to-operate manual crank


421



Sample applications:

- Lawn maintenance
- Treating parking lot islands
- Spreading seeds

MODEL	421
Capacity L (nominal volume)	9
Container Filling Opening Diameter	14.5 cm
Weight	3 kg



The SOLO 433 motorised sprayer features a genuine Honda 4-stroke engine with plenty of power. Work long stretches thanks to the unit's high-volume tank capacity (20 L) and ability to pump at 30 bar pressure, which results in the finest spray (even high up).

KEY BENEFITS

- High-quality, double flat-jet nozzle with stainless steel nozzle discs
- 50 cm stainless steel spray wand
- Sturdy, quick-release hand piece
- Large tank opening for easy filling
- Ergonomically-shaped tank made from UV-stablised plastic
- Comfortable padded backpack frame, Wide, padded and adjustable
- Powerful 4-stroke engine
- Adjustable operating pressure of the push-pull piston
- Practical drain connector underneath container – enables complete draining of residual liquid
- (10) Chemical resistant high pressure hose

Lasts a Lifetime Power in performance





	MODEL	433					
ĺ	Engine	Honda GX 25 4-stroke					
	Capacity	25 cm ³					
	Sound pressure level	82 dB(A)					
	Sound power level	95 dB(A)					
	Vibration value	≤ 2 m/s²					
	Nominal volume	20					
	Stainless steel double nozzle	Yes					
	Max. adjustable spray pressure	Up to 30 bar					
	Spray volume L/min with standard nozzle	1.0 L at 5 bar 1.7 L at 10 bar 2.0 L at 20 bar 2.4 L at 30 bar					
	Weight (dry)	8.3 kg					
	Pressure gauge	Yes					

Sample applications:

Plant protection

- Tall plantings, such as trees and larger shrubs
- Fruit trees

Agriculture

Crops

Public gardens and landscaping





Larger coverage with less effort

452 Mist Blower

A new model joining the ranks of some of the most popular misters in the world. SOLO's 452 has various applications; in agriculture, horticulture, pest control, and disinfection.

KEY BENEFITS

- Wide-spray grille increases width of spray
- Nozzle with single-sided deflector (interchangeable) – enables spraying rows of crops and reaching underneath leaves
- Nozzle with double-sided deflector (interchangeable) – treats two rows simultaneously
- Lightweight with an impressive spraying capacity
- (5) Robust and easy to handle
- Advanced engine technology guarantees low fuel consumption, reduced exhaust gas emissions and high performance in continuous use (even when hot!)
- Range of SOLO sprayer accessories available to facilitate versatility: a liquid booster bump can increase reach when spraying upwards

452





PROFESSIONAL

Range

Sample applications:

- Plant protection (woodland and crop plantations)
- Fruit and vine growing environments
- Disinfection
- Parasite control in animal herds, stables, storage areas, ships, and containers

MODEL	452	
Capacity L (nominal volume)	12	
Engine	SOLO 2-stroke	
Fuel Tank Capacity	1.4 L	
Engine Capacity	66.5 cc	
Max Engine Power (ISO 8893)	2.1 kW (2.9HP), 5750 rpm	
Max. fan air volume	1400 m3/h / 824 cfm	
Air filter cartridge	Foam filter	
Horizontal Reach	11 m	
Carburator	Diaphragm with primer pump	
Standard delivery	SOLO special misting nozzle with 4 settings, wide spray grille	
Weight	9.6 kg	



ACCESSORIES FOR PRESSURE AND BACKPACK SPRAYERS

•	Recommended	•	Suitable	0	Not recom	mendec	d	-	Unsui	table / d	oes no	t fit
POS	WANDS				PART NO.	408 409 453	401 402	461 462 211 212	424 256 257 258	425 425LC 473D 475	206 414 441 411	417Li 442Li
1	Telescopic wand approx. Extension for the 401/402 down or overhead.			le work low	49 00 628	-	•	-	-	-	-	-
2	Spray wand 50 cm. Universal spray wand mad	de from spe	cial, durable plastic.		49 00 230P	0	-	•	•	•	•	•
3	Extension wand 50 cm. For increased range.				49 00 513	•	-	•	•	•	•	•
4	Spray wand, brass, 50 cm Recommended for use w	ith spray bo	om.		49 00 519	0	-	•	•	•	•	•
5	Spray wand, brass, 75 cm Recommended for use w or drift guard near ground	th spray bo	om		49 00 428	0	-	•	•	•	•	•
6	Telescopic spray wand, but Universal application by a	rass 57 - 100 Idjusting th) cm. e spray wand length		49 00 478	0	-	•	•	•	•	•
7	Tree spray wand, 2-part, k e.g. for espaliered trees, l	orass, 150 ci nigh shrubs	m. Increases reach, , etc.		49 00 528	0	-	•	•	•	•	•
8	Tree spray wand, carbon, Made from ultra-light carl	120 cm. To	al weight only 60 g. r light work.		49 00 449	0	-	•	•	•	•	•
9	Telescopic spray wand, ca Made of ultra lightweight in high places; total weigl	carbon fibr	e for easier spraying	3	49 00 445	0	-	•	•	•	•	•
10	Telescopic spray wand, ca	arbon, 60 - 1	120 cm, 75 g.		49 00 457	0	-	•	•	•	•	•
11	Solo Patented + pressure	gauge			48 00 170P	•	-	•	•	•	•	•
12	Pressure gauge with conr For spray pressure contro of spray medium with the	I. Precision	application		49 00 356	0	-	•	•	•	•	•
13	Spray boom, 60 cm, with of double rows and large	2 nozzles, c areas.	onvenient treatmen	t	49 00 514	0	-	•	•	•	•	•
14	Aluminium spray boom, 120 Extremely light for carrying or				49 00 299	0	-	•	•	•	-	•
15	Universal spray wand 70 c			<u> </u>	49 00 170 N	•	-	•	•	•	•	•
3	58 cm 2	-	5		4							•
-			7									-
6	-		8									-
11	12		9 & 10									-do
14			<u> </u>	-			-			-		
	a la		ale.	7	,							
15		ASI .					_					
		-	1.7		-	-						

POS	NOZZLES AND DRIFT GUARDS	PART NO.	408 409 453	401 402	461 462 211 212	256 257 258	425 425LC 473D 475	206 414 441 411	417Li 442Li
1	Complete nozzle set, comprising 3 nozzles. Universal application.	06 10 408P	•	-	•	•	•	•	•
2	Adjustable nozzle, plastic from fine mist to long jet.	49 00 527	•	-	•	•	•	•	•
3	Nozzle, brass adjustment Adjusts from fine mist to long jet	49 00 206 NZ	•	-	•	•	•	•	•
4	Drift guard, with flat jet nozzle F 02-80 To protect adjacent rows. Prevents drift of fine droplets; limits spraying range. Important for tackling weeds in the immediate vicinity of cultivated plants and ponds.	49 00 430	•	-	•	•	•	•	•
5	Dual nozzle with nozzle set 2 swivelling nozzles for simultaneous spraying of two rows of plants. Versatile nozzle applications.	49 00 477	0	-	•	•	•	0	•
6	3 in 1 sprayer nozzle	40 74 666P	•	-	•	•	•	0	-
7	Clear Drift Guard F 02-80 nozzle	49 00 580	•	-	•	•	•	•	-















POS	SETS OF SEALS	PART NO.	408 409 453	401 402	461 462	256 257 258	425 425 D 425 LC	473 D 475
1	Set of seals, incl. all sealing parts for stated sprayer types.	49 00 403K	-	-	•	-	-	-
2	Set of seals, incl. all sealing parts for stated sprayer types.	49 00 405K	-	-	-	•	-	-
3	Set of seals, incl. all sealing parts for stated sprayer types.	06 10 407K	-	-	-	-	•	-
4	Set of seals, incl. all sealing parts for stated sprayer types.	06 10 406K	-	-	-	-	-	•
5	Hand peice repair kit	06 10 402K	-	-	•	•	•	•
6	O-Ring kit	O-RING KIT	•	-	-	-	-	-














POS	OTHER ACCESSORIES	PART NO.	403 404	408 409 453	401 402	461 462	256 257 258	425 425LC	473D 475	417Li
2	Professional Harness	49 00 599	-	-	-	-	-	•	•	-
3	Extra Heavy Dutey Harness	SOHDHARNESS	-	-	-	-	-	•	•	-







- The container is resistant against UV ray impact, transparent and robust
- Hight value seals fitted to all parts that come in contact with spray liquid
- Ergonomically-shaped operating components
- Efficient and sturdy pumps for quick and effortless pressure build-up
- Resistant plastic parts shaped from noncorrosive material

315A - FKM **KEY BENEFITS**

- Two nozzles supplied as standard flat fan and hollow cone
- 2 Large tank openeing for easy filling
- Carrying handle with integrated spray (3) wand holder
- Ergonomically-shaped tank with 4 strong base frame
- **5** Solo patent hand piece repairable
- Smooth, effective piston pump with 4-stage, manual spray pressure adjustment
- Wide, comfortable and padded carrying straps with tension release





MODEL	315A	
Nominal volume L	15.0	
Spray pressure (bar)	4.0	
Seals	FKM	
Weight empty	4.5	
Foaming function	-	
Delivery hose length	1.4 m	
Spray wand	50 cm plastic, non-corrosive	
Carrying system	shoulder strap	
Nozzles	SOLO flat spray nozzle	



MODEL



301A/302A - FKM **KEY BENEFITS**

- Adjustable universal spray nozzle
- Light and sturdy, translucent containers with easily-visible fill volume graduation and large filler opening
- Smooth, sealed pump with large 3 pump handle for quick and efficient pressure build-up
- Safety valve for pressure release to empty container
- Ergonomically-shaped and robust (5) handle grip for good hold, also with gloves

305A/307A - FKM **KEY BENEFITS**

- High value, chemical-resistant flat spray nozzle
- Large size piston pump operating (2) pressure is attained with few pump strokes
- Large tank opening for easy filling-(3) quick closing by turning pump handle with integrated spray wand holder
- Safety pressure release valve
- (5) Comfortable carrying strap
- Robust and light UV resistant tank
- Easily-visible fill level markings









301B/302B - EPDM **KEY BENEFITS**

- Adjustable universal spray nozzle
- Light and sturdy, translucent containers with easily-visible fill (2) volume graduation and large filler opening
- Smooth, sealed pump with large 3 pump handle for quick and efficient pressure build-up to max. 3 bar
- (4) Safety valve for pressure release to empty container
- Ergonomically-shaped and robust 5 handle grip for good hold, also with gloves

305B/307B - EPDM **KEY BENEFITS**

- High value, chemical-resistant flat spray nozzle
- Large size piston pump operating (2) pressure is attained with few pump
- Large tank opening for easy filling -(3) quick closing by turning pump handle with integrated spray wand holder
- **(4)** Safety pressure release valve
- Comfortable carrying strap
- Robust and light UV resistant tank (6)
- Easily-visible fill level markings





MODEL	301B	302B	305B	307B	
Nominal volume L	2.0	2.0	5.0	7.0	
Spray pressure (bar)	3.	0	3		
Seals		EPC	DM		
Weight empty	0.5	0.6	2.6	2.8	
Foaming function	-	-	-	-	
Delivery hose length	-	-	1.4	4 m	
Spray wand	-	-	50 cm plastic,	non-corrosive	
Carrying system	-	-	should	ler strap	
Nozzles	SOLO universal hollow cone nozzle, adjustable		SOLO flat		





(8)

301FA FOAM FKM/301FB -FOAM EPDM KEY BENEFITS

- Special, adjustable flat spray nozzle with foaming function
- High value, special flat spray nozzle
- Light, sturdy and translucent containers with easily-visible fill (3) volume graduation and larger filling aperture
- Smooth, sealed pump with large 4 pump handle for quick efficient pressure build-up to max. 3 bar
- Safety valve for pressure release to (5) empty container
- Ergonomically-shaped and robust handle grip for good hold, also with gloves
- (7)Stable base
- FKM seal quality for acidic liquids (8)
- EPDM seal quality for alkaline liquids 9 (301FB)

World Innovation varioFOAM

No interchange of felt inserts, no changing of nozzle, no unnecessary contact with the spray medium.

With the SOLO patented foaming nozzle varioFOAM the moisture level in the foam can be endlessly adjustable by turning an adjustment wheel even while working.

The wheel is large and comfortable to use, also with gloves. The embossed graduation offers exact adjustment possibilities:

Dry: the foam is drier and therefore more consistent.

Wet: a gel-like foam with higher moisture content is produced.



7

301FA

INDUSTRIAL

Range



9



Made in Germany

301FB

(6)

(3)

MODEL	301FA	301FB			
Nominal volume L	2.0	2.0			
Spray pressure (bar)	3.0	3.0			
Seals	FKM	EPDM			
Weight empty	0.6	0.6			
Foaming function	YES	YES			
Nozzles	SOLO special flat spray nozzle				
Weight empty Foaming function	0.6 YES	0.6 YES			



KEY BENEFITS

- Spray-gun with adjustable nozzle shoots 5.7 m vertical and 9.1 m horizontal, adjusts from cone to stream
- 12 V NorthStar NSQ Series on-(2) demand pump provides faster priming and longer life
- Tank-bottom drain allows for easy draining
- Components have been tested and approved for use with Round-up® agricultural herbicide
- Proprietary tank design features extra thick walls and superior chemical and UV resistance
- Honeywell MICRO SWITCHTM enhances durability and efficiency
- Tie-down straps for easy mounting
- 100% continuous duty rating
- SantropreneTM diaphragm and Viton® valves for superior reliability and chemical resistance
- 4.5m of clear chemical resistant hose
- 152 mm diameter tank lid for easy fills
- (12) Includes remote switch with battery clips





38 L Spot Sprayer



60 L Spot Sprayer



200 L Spot Sprayer



MODEL	38 L	60 L	98 L	200 L
Capacity (L)	38	60	98	200
Voltage (V)	12	12	12	12
Flow (LPM)	3.8	8.3	8.3	5.7
Pressure KPa (psi)	276 (40psi)	483 (70psi)	483 (70psi)	1030 (150psi)
Horizontal Reach	7.6 m	9.1 m	9.1 m	10.5 m
Vertical Reach	4.2 m	5.7 m	5.7 m	7 m



NorthStar Elite Spot Sprayers are quick, efficient and treat areas with precision. Available in 60 L and 98 L capacities, they – along with a reliable, high-pressure NorthStar NSQ Series on-demand pump - generate impressive flow rates for highvolume delivery. Apply fast and effortlessly.



- Adjustable spray nozzle -4m chemical resistant hose
- Convenient carrying handles
- Combined with a deluxe spray gun – delivers maximum vertical spray height of 5.7 m and horizontal spray distance of 9.1 m
- Extra-thick polymer tank walls with moulded-in litre markers
- Large 19 cm diameter tank lid for easy
- Supplied with extra heavy-duty gun **(6)** and lance
- NorthStar regulator with pressure gauge enables fine-tuning of spray pressure
- Easy access, oversized inlet filter (8) keeps system running clean
- Can easily add NorthStar spray booms (complete range available)
- A pressure switch turns pump off when maximum pressure is reached to conserve battery power
- Capacity 60 L or 98 L; less time spent refilling





98 L





MODEL	60 L	98 L	
Capacity (L)	60	98	
Voltage (V)	12	12	
Flow (LPM)	8.3	8.3	
Pressure KPa (psi)	483 (70psi)	483 (70psi)	
Horizontal Reach	9.1 m	9.1 m	
Vertical Reach	5.7 m	5.7 m	



Behind Sprayer gives you the ability to do both precision and wide-coverage spraying. Equipped with a commercialgrade12 V NorthStar® NSQ Series™ pump, it provides easier priming, exceptional durability and superior resistance to harsh environments and corrosive chemicals.

KEY BENEFITS

- Large fill neck for easy filling (19 cm)
- NorthStar Series on-demand pump provides faster priming and longer life.100% continuous duty rating
- Attaches to ATV or garden tractor (3)
- Spring-loaded, breakaway boom arms fold away for compact storage. Complete control of left and right nozzles for maximum efficiency
- 30 cm Pneumatic wheels for easy **(5)** towing
- Proprietary UV tank resistant features extra-thick walls
- In-line fuse protection
- Compatible with Roundup® agricultural herbicide
- Control system pressure and fluid agitation with regulator and pressure
- Spring loaded breakaway boom arms fold away for compact storage
- Rugged powder-coated steel cart with large pneumatic wheels





117 L















MODEL	49 L	79L	117 L	155 L	231 L	383 L	
Capacity (L)	49	79	117	155	231	383	
Voltage (V)	12	12	12	12	12	12	
Flow (LPM)	3.8	8.3	8.3	15.1	20.8	26.5	
Pressure (KPa)	276 (40psi)	483 (70psi)	483 (70psi)	410 (60psi)	410 (60psi)	410 (60psi)	
Hose	9.5x3.35 mm	9.5x4.57 mm	9.5x4.57 mm	9.5x4.9 mm	9.5x6.4 mm	9.5x6.4 mm	
Spray Pattern	Cone, Stream & Broadcast						
Gun Spray Distance (m)	7.62 long, 4.27 high	9.14 long, 5.79 high	9.14 long, 5.79 high	9.75 long, 6.40 high	10.05 long, 6.70 high	10.97 long, 7.32 high	
Broadcast Spray Distance (m)	1.02 wide	3.05 wide	3.05 wide	2.53 wide	3.56 wide	4.57 wide	
Nozzles	1	2	2	5	7	9	



KEY BENEFITS

- Honeywell MICRO SWITCHTM with silver contacts enhance durability and efficiency
- 1.9 cm Quick-connect ports offer the ultimate in convenience and reliability
- Fiberglass-reinforced pump manifold (3) provides superior durability
- VitonTM valves improve performance, priming and durability
- SantopreneTM diaphragm is chemical-resistant
- 100% duty cycle. Motors are oversized for continuous duty operation. Highgrade copper windings eliminate the need for additional cooling
- Innovative smooth valve design for faster priming and longer life
- Approved for use with RoundupTM agricultural herbicide
- Self-priming up to
- Standard mounting pattern
- Fits all NorthStar sprayers and most other brands
- Rated to 1000 hours
- Includes 12.7 mm hose barb and 12.7 mm male NPT fitting



MODEL	1042Q	2272Q	3062Q	4062Q	5562Q	7062Q	15152Q	20200Q
Flow rate (LPM)	3.8	8.3	11.3	15.1	20.8	26.5	5.7	7.6
Pressure Kpa (psi)	276 (40 psi)	483 (70 psi)	414 (60 psi)	414 (60 psi)	414 (60 psi)	414 (60 psi)	1030 (150psi)	1373 (200psi)
Max Amps	4.0	8.0	10.0	13.0	17.0	23.0	11.0	23.0

Accessories for Northstar sprayers

POS	DESCRIPTION	PART No.		
1	Rubber Washer (All Models)	5232		
2	Drain Cap (All Models)	37680		١
3	Plug (To be used with 787200 if not using a broadcast nozzle)	779859		
4	Hose barb to suit 38 L	787196		
5	Quick Connect x 12.7 mm Hose barb 50° elbow	787199	4	
6	Quick Connect x 9.5 mm Hose barb elbow x 6.3 mm FNPT elbow	787200		
7	Quick Connect x 9.5 mm Hose barb	787208		
8	Quick Connect x12.7 mm Hose barb	787209	/	
9	Quick Connect x19 mm Hose barb	787210	-	
10	Quick Connect x12.7 mm MNPT	787211	10	
11	Quick Connect x 9.5 mm Hose barb elbow	787212	_	
12	Quick Connect x12.7 mm Hose barb elbow	787213	12	
13	Quick Connect x19 mm Hose barb elbow	787214	13	
14	Standard Spray Gun	779769		
15	Anvil Nozzle for Trolley Sprayers	792605	15	
16	Battery leads / Wiring harness for all units	777493		
17	3.8 Pump Head Replacement	NUA1042	4	
18	3.8 Pump Head Replacement	NUA2272	18	
19	11.4 Pump Head Replacement	NUA3062		
20	15.2 Pump Head Replacemen	NUA4062		
21	10mm Hose by the meter	NUCFBK10	21	
22	Broadcast Spray Lance	NUBROADCAST	2	,
23	Pressure Regulator	NUPRESSUREREGULATOR	24	/
24	Heavy Duty Spray Gun	792723		
25	Professional Spray Gun	JET SPRAY LANCE	25	



- Precision control
- Wider spray coverage
- Spring loaded boom arms on some models
- Non drip check valve
- Easy connection
- Trailer and tank adaption options for optimising spray coverage







BROADCAST SPRAYER KIT	1N	2N	5N	7N
Nozzles (No.)	1	2	5	7
Nozzle Precision Control	Tank Mounted	Left/Right	Left/Right Left/Center/Rig	
Spray Coverage (m)	4.3	2	2.7	6.3
Boom arms	Nil		Spring I	Loaded
Check Valves	No			
Mount Type	Tank		Trailer	Tank

